AMENDMENTS TO THE CLAIMS

- 1-20. (Cancelled).
- 21. (Previously presented) A machine-implemented method of managing content at a web site, the method comprising:
 - receiving a first request from a user to create a particular content item in a particular folder associated with the web site;
 - in response to the first request, inspecting permission data to determine that said user has create-with-approval privileges relative to said particular folder;
 - in response to determining that said user has create-with-approval privileges relative to said particular folder, adding said particular content item to said particular folder in a not-publicly-visible state;
 - in response to receiving input that grants approval for the particular item to be created in the particular folder, changing the state of the particular content item to a publicly-visible state;

receiving a second request;

- in response to the second request, determining a current state of the particular content item;
- if the current state of the particular content item is the publicly-visible state, then responding to the second request by providing a web page that includes said particular content item; and
 - if the current state of the particular content item is in the not-publicly-visible state, then responding to the second request by providing a web page that does not include said particular content item.
- 22. (Previously presented) The method of Claim 21, wherein receiving the first request comprises:
 - receiving the first request to create the particular content item in the particular folder

- by storing the particular content item in a database in a location that identifies the particular content item resides in the particular folder.
- 23. (Previously presented) The method of Claim 21, further comprising:

 after the particular content item has been added to said particular folder in a notpublicly-visible state, updating mapping data that indicates a folder-to-content
 item mapping.
- 24. (Previously presented) The method of Claim 21, wherein the create-with-approval privilege was granted to the user by a folder owner of the particular folder.
- 25. (Previously presented) The method of Claim 21, further comprising:
 in response to receiving input from a folder owner, associating a style attribute with
 the particular folder, wherein the style attribute describes how to display
 content items that belong to the particular folder; and
 displaying the particular content item in accordance with the style attribute.
- 26. (Previously presented) The method of Claim 21, further comprising:

 in response to determining that said user is a folder owner or has manage-item
 privileges relative to said particular folder, adding said particular content item

 to said particular folder in a publicly-visible state.
- 27. (Currently Amended) A machine-readable <u>storage</u> medium carrying one or more sequences of instructions for managing content at a web site, wherein execution of the one or more sequences of instructions by one or more processors causes:

 receiving a first request from a user to create a particular content item in a particular folder associated with the web site;

in response to the first request, inspecting permission data to determine that said user has create-with-approval privileges relative to said particular folder;

in response to determining that said user has create-with-approval privileges relative to said particular folder, adding said particular content item to said particular folder in a not-publicly-visible state;

in response to receiving input that grants approval for the particular item to be created in the particular folder, changing the state of the particular content item to a publicly-visible state;

receiving a second request;

in response to the second request, determining a current state of the particular content item;

if the current state of the particular content item is the publicly-visible state, then responding to the second request by providing a web page that includes said particular content item; and

if the current state of the particular content item is in the not-publicly-visible state, then responding to the second request by providing a web page that does not include said particular content item.

28. (Currently Amended) The machine-readable <u>storage</u> medium of Claim 27, wherein receiving the first request comprises:

receiving the first request to create the particular content item in the particular folder by storing the particular content item in a database in a location that identifies the particular content item resides in the particular folder.

- 29. (Currently Amended) The machine-readable <u>storage</u> medium of Claim 27, wherein execution of the one or more sequences of instructions by the one or more processors further causes:
 - after the particular content item has been added to said particular folder in a notpublicly-visible state, updating mapping data that indicates a folder-to-content item mapping.
- 30. (Currently Amended) The machine-readable <u>storage</u> medium of Claim 27, wherein the create-with-approval privilege was granted to the user by a folder owner of the particular folder.
- 31. (Currently Amended) The machine-readable <u>storage</u> medium of Claim 27, wherein execution of the one or more sequences of instructions by the one or more processors further causes:
 - in response to receiving input from a folder owner, associating a style attribute with the particular folder, wherein the style attribute describes how to display content items that belong to the particular folder; and displaying the particular content item in accordance with the style attribute.
- 32. (Currently Amended) The machine-readable <u>storage</u> medium of Claim 27, wherein execution of the one or more sequences of instructions by the one or more processors further causes:
 - in response to determining that said user is a folder owner or has manage-item-privileges relative to said particular folder, adding said particular content item to said particular folder in a publicly-visible state.